

KK 2021



Oil Pattern Distance **Forward Oil Total Tank Configuration**

46 9.415 mL N/A

Reverse Brush Drop Reverse Oil Total Tank A Conditioner

36 8.54 mL **TERRAIN** Oil Per Board **Volume Oil Total Tank B Conditioner**

35 ul 17.955 mL **ICE**

2 6L 6R 1 14 4 A 29 0.0 1.9 1.9 1015 3 8L 8R 2 14 4 A 50 1.9 5.8 3.9 1750 4 10L 10R 3 18 4 A 63 5.8 13.4 7.6 2205 5 12L 12R 3 18 4 A 51 13.4 21.0 7.6 1785 6 14L 14R 3 22 4 A 39 21.0 30.3 9.3 1365 7 2L 2R 0 22 3 A 0 30.3 36.0 5.7 0 8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0		START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
3 8L 8R 2 14 4 A 50 1.9 5.8 3.9 1750 4 10L 10R 3 18 4 A 63 5.8 13.4 7.6 2205 5 12L 12R 3 18 4 A 51 13.4 21.0 7.6 1785 6 14L 14R 3 22 4 A 39 21.0 30.3 9.3 1365 7 2L 2R 0 22 3 A 0 30.3 36.0 5.7 0 8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0	1	2L	2R	1	14	4	Α	37	0.0	0.0	0.0	1295
4 10L 10R 3 18 4 A 63 5.8 13.4 7.6 2205 5 12L 12R 3 18 4 A 51 13.4 21.0 7.6 1785 6 14L 14R 3 22 4 A 39 21.0 30.3 9.3 1365 7 2L 2R 0 22 3 A 0 30.3 36.0 5.7 0 8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0	2	6L	6R	1	14	4	Α	29	0.0	1.9	1.9	1015
5 12L 12R 3 18 4 A 51 13.4 21.0 7.6 1785 6 14L 14R 3 22 4 A 39 21.0 30.3 9.3 1365 7 2L 2R 0 22 3 A 0 30.3 36.0 5.7 0 8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0	3	8L	8R	2	14	4	Α	50	1.9	5.8	3.9	1750
6 14L 14R 3 22 4 A 39 21.0 30.3 9.3 1365 7 2L 2R 0 22 3 A 0 30.3 36.0 5.7 0 8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0	4	10L	10R	3	18	4	Α	63	5.8	13.4	7.6	2205
7 2L 2R 0 22 3 A 0 30.3 36.0 5.7 0 8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0	5	12L	12R	3	18	4	Α	51	13.4	21.0	7.6	1785
8 2L 2R 0 22 2 A 0 36.0 41.0 5.0 0	6	14L	14R	3	22	4	Α	39	21.0	30.3	9.3	1365
	7	2L	2R	0	22	3	Α	0	30.3	36.0	5.7	0
9 2L 2R 0 22 1 A 0 41.0 46.0 5.0 0	8	2L	2R	0	22	2	Α	0	36.0	41.0	5.0	0
	9	2L	2R	0	22	1	Α	0	41.0	46.0	5.0	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	В	0	46.0	33.0	-13.0	0
2	15L	15R	1	18	3	В	11	33.0	30.5	-2.5	385
3	13L	13R	3	18	3	В	45	30.5	22.9	-7.6	1575
4	11L	11R	3	18	3	В	57	22.9	15.3	-7.6	1995
5	9L	9R	2	14	4	В	46	15.3	11.4	-3.9	1610
6	7L	7R	2	14	4	В	54	11.4	7.5	-3.9	1890
7	5L	5R	1	14	4	В	31	7.5	5.6	-1.9	1085
8	2L	2R	0	14	4	В	0	5.6	0.0	-5.6	0

Cleaner Ratio Main Mix Forward 24:1 Cleaner Ratio Back End Mix 33:1 Reverse Cleaner Ratio Back End Distance 30 Combined

8L-12L:18L-18R

2.05

13L-17L:18L-18R

1.04

Inside:Middle

18L-18R:17R-13R

1.04

MIddle: Inside

Buffer RPM: 4 = 650 | 3 = 500 | 2 = 300 | 1 = 200

Outside:Middle Middle:Middle

3L-7L:18L-18R

10.42

Item

Track Zone Ratio

Description

	1890			
	0 1085 5 0			
	, 0			
		J		
	rd			
	se			
İ	ned			
				۱
				۱
				١
	18L-18R:12R-8R	18L-18R:7R-3R	ш.	
	Middle:Middle	Middle:Outside		
	2.05	10.42		



