


Oil Pattern Distance	42	Reverse Brush Drop	34	Oil Per Board	45 ul
Forward Oil Total	12.465 mL	Reverse Oil Total	12.105 mL	Volume Oil Total	24.57 mL
Tank Configuration	Multi Tank	Tank A Conditioner	TERRAIN	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	18	3	A	74	0.0	2.5	2.5	3330
2	4L	6R	3	18	3	A	93	2.5	10.1	7.6	4185
3	8L	8R	2	22	3	A	50	10.1	16.3	6.2	2250
4	13L	11R	2	22	3	A	34	16.3	22.5	6.2	1530
5	15L	13R	2	22	3	A	26	22.5	28.7	6.2	1170
6	2L	2R	0	30	3	A	0	28.7	42.0	13.3	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	B	0	42.0	33.0	-9.0	0
2	13L	11R	2	18	3	B	34	33.0	27.9	-5.1	1530
3	10L	10R	2	18	3	B	42	27.9	22.8	-5.1	1890
4	9L	9R	3	18	3	B	69	22.8	15.2	-7.6	3105
5	6L	6R	3	18	3	B	87	15.2	7.6	-7.6	3915
6	2L	2R	1	18	3	B	37	7.6	5.1	-2.5	1665
7	2L	2R	0	14	3	B	0	5.1	0.0	-5.1	0



Cleaner Ratio Main Mix 24:1 Forward  
 Cleaner Ratio Back End Mix 33:1 Reverse  
 Cleaner Ratio Back End Distance 40 Combined  
 Buffer RPM: 4 = 650 | 3 = 500 | 2 = 300 | 1 = 200



--

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.33	1.51	1.04	1	1.36	4.07

